

Tabelle VIII.

Dichte und Gehalt der Salpetersäure nach Kolb.

Grade Baumé	Dichte	100 Theile enthalten bei 0°		100 Theile enthalten bei 15° C.		Grade Baumé	Dichte	100 Th. enthalten bei 0°		100 Theile enthalten bei 15° C.	
		HNO ₃	N ₂ O ₅	HNO ₃	N ₂ O ₅			HNO ₃	N ₂ O ₅	HNO ₃	N ₂ O ₅
0	1.000	0.0	0.0	0.2	0.1	28	1.242	36.2	31.0	38.6	33.1
1	1.007	1.1	0.9	1.5	1.3	29	1.252	37.7	32.3	40.2	34.5
2	1.014	1.2	1.9	2.6	2.2	30	1.261	39.1	33.5	41.5	35.6
3	1.022	3.4	2.9	4.0	3.4	31	1.275	41.1	35.2	43.5	37.3
4	1.029	4.5	3.9	5.1	4.4	32	1.286	42.6	36.5	45.0	38.6
5	1.036	5.5	4.7	6.3	5.4	33	1.298	44.4	38.0	47.1	40.4
6	1.044	6.7	5.7	7.6	6.5	34	1.309	46.1	39.5	48.6	41.7
7	1.052	8.0	6.9	9.0	7.7	35	1.321	48.0	41.1	50.7	43.5
8	1.060	9.2	7.9	10.2	8.7	36	1.334	50.0	42.9	52.9	45.3
9	1.067	10.2	8.7	11.4	9.8	37	1.346	51.9	44.5	55.0	47.1
10	1.075	11.4	9.8	12.7	10.9	38	1.359	54.0	46.3	57.3	49.1
11	1.083	12.6	10.8	14.0	12.0	39	1.372	56.2	48.2	59.6	51.1
12	1.091	13.8	11.8	15.3	13.1	40	1.384	58.4	50.0	61.7	52.9
13	1.100	15.2	13.0	16.8	14.4	41	1.398	60.8	52.1	64.5	55.3
14	1.108	16.4	14.0	18.0	15.4	42	1.412	63.2	54.2	67.5	57.9
15	1.116	17.6	15.1	19.4	16.6	43	1.426	66.2	56.7	70.6	60.5
16	1.125	18.9	16.2	20.8	17.8	44	1.440	69.0	59.1	74.4	63.8
17	1.134	20.2	17.3	22.2	19.0	45	1.454	72.2	61.9	78.4	67.2
18	1.143	21.6	18.5	23.6	20.2	46	1.470	76.1	65.2	83.0	71.1
19	1.152	22.9	19.6	24.9	21.3	47	1.485	80.2	68.7	87.1	74.7
20	1.161	24.2	20.7	26.3	22.5	48	1.501	84.5	72.4	92.6	79.4
21	1.171	25.7	22.0	27.8	23.8	49	1.516	88.4	75.8	96.0	82.3
22	1.180	27.0	23.1	29.2	25.0	49.5	1.524	90.5	77.6	98.0	84.6
23	1.190	28.5	24.4	30.7	26.3	49.9	1.530	92.2	79.0	100.0	85.71
24	1.199	29.8	25.5	32.1	27.5	50.0	1.532	92.7	79.5	—	—
25	1.210	31.4	26.9	33.8	28.9	50.5	1.541	95.0	81.4	—	—
26	1.221	33.1	28.4	35.5	30.4	51.0	1.549	97.3	83.4	—	—
27	1.231	34.6	29.7	37.0	31.7	51.5	1.559	100.0	85.71	—	—

