

Radius: Breite proximal

Burgphase	Vb.	Mw.	n	Variationsreihe (mm)									
				24	25	26	27	28	29	30	31	32	33
I/II	25-33	28,6	37	—	3	2	7	5	6	8	4	1	1
III	24-32	27,4	88	3	7	18	23	19	8	4	5	1	—
IV	24-32	27,1	17	1	1	3	8	2	—	1	—	1	—
V	25-30	26,8	8	—	3	1	2	—	1	1	—	—	—
Gesamtheit	24-33	27,6	150	4	14	24	40	26	15	14	9	3	1

Ulna: Dm. in Höhe des Proc. anconeus

Burgph.	Vb.	Mw.	n	Variationsreihe (mm)											
				29	30	31	32	33	34	35	36	37	38	39	40
I/II	29-39	35,3	38	1	2	—	2	6	2	4	7	6	4	4	—
III	29-40	34,2	100	1	5	5	10	21	16	14	13	5	8	1	1
IV	31-40	34,7	18	—	—	2	1	2	5	2	2	2	1	—	1
V	31-38	35,7	15	—	—	1	1	—	2	2	2	4	3	—	—
Ges.	29-40	34,8	171	2	7	8	14	29	25	22	24	17	16	5	2

Metapodien

- 1) Burgphase
- 2) Größte Länge
- 3) Breite prox.
- 4) Breite dist.
- 5) Kleinste Breite der Diaph.
- 6) Widerristhöhe (Teichert 1966) in cm

Mc III

I/II	I/II	I/II	III
75	75	76	70
17	17	17,5	16
17	17,5	18	17
13,5	13	13,5	12,5
80,4	80,4	81,4	75,0

Mc III

1) III	III	III	V	V
2) 78	82	84	79	80
3) 17	17	19	18	18
4) 17	16	19	18	18
5) 14	13	13,5	14	14
6) 83,6	87,9	90,1	84,7	85,8

Mc IV

I/II	I/II	I/II	I/II	III
73	76	77	80	75
15	16,5	—	16	15
15	18	17	17	17
12	14,5	12	14	12
76,8	80,0	81,0	84,2	79,0

Mc IV

1) III	III	III	III	III
2) 78	78	79	81	85
3) 15	15,5	15	16	17
4) 17	16	16	17	18
5) 12	12	12	12	13
6) 82,1	82,1	83,2	85,3	89,5

Mt III

I/II	III	III	III
78	75	79	86
14	13	14	14
15	15	15	15
12	11	11,5	11
72,8	70,0	73,8	80,3

Mt IV

1) I/II	I/II	I/II	I/II	III	III	III
2) 85	87	93	95	84	(88)	90
3) 14,5	15	15	17	14	(15)	15
4) 16	16	17	18	16	16	17
5) 12	12	12,5	14	15	12	13
6) 75,1	76,9	82,2	84,0	74,2	(77,8)	79,5