

*Observations.*

It is distinguished from bismuth-glance by its colour and regular external figures; the reticulated varieties, from reticulated native silver, by their colour and inferior malleability.

## 2. Bismuth-Glance or Sulphureted Bismuth.

Wismuth-Glanz, *Werner*.

Galena Wismuthi, *Wall.* t. ii. p. 206.—Minera Wismuthi cinerea-versicolor-martialis, *Id.* p. 207. and 208.—Wismuthglanz, *Wern.* Pabst. b. i. s. 187. *Id. Wid.* s. 890.—Sulphureted Bismuth, *Kirw.* vol. ii. p. 266.—Bismuth sulphuré, *De Born,* t. ii. p. 217.—Wismuthglanz, *Emm.* b. ii. s. 438.—Bismuth sulphuré, *Lam.* t. ii. p. 333. *Id. Haüy,* t. iv. p. 190.—La Galena de Bismuth, ou le Bismuth sulphuré, *Broch.* t. ii. p. 346.—Wismuthglanz, *Reuss,* b. iv. s. 314. *Id. Lud.* b. i. s. 271. *Id. Such.* 2<sup>ter</sup> th. s. 363. *Id. Bert.* s. 473. *Id. Mohs,* b. iii. s. 631.—Bismuth sulphuré, *Lucas,* p. 157.—Wismuthglanz, *Leonhard,* Tabel. s. 77.—Bismuth sulphuré, *Brong.* t. ii. p. 133. *Id. Brard,* p. 350.—Wismuthglanz, *Karsten,* Tabel. s. 70. *Id. Haus.* s. 75.—Bismuth sulphuré, *Haüy,* Tabl. p. 105.—Sulphureted Bismuth, *Aikin,* p. 53.

*External Characters.*

Its colour is light lead-grey, more or less inclining to tin-white.

Externally it is yellowish, or tarnished with variegated colours.

It occurs massive, disseminated, and in acicular and capillary crystals.

Internally