

Umfangslinie der Blätter.

Peripheria foliorum.

Périphérie des feuilles.

e) neun-eckig;
novem-angulatum;
neuf-angulée.



6. großes
Farnblatt;
Farfugium grande.

d) sieben-eckig;
septangulatum;
septangulée.



5. klimmende Mikanie;
Mikania scandens Willd.

e) fünf-eckig;
quinquangulatum;
quinquangulée.



4. Berdan's Maurandie;
Maurandia Barclayana. Bot. Reg.

h) rauten-förmig;
rhombeum; en rhombe.



3. Pyramiden-
Pappel;
Populus
pyramidalis,
Rozier.

a) dreieckiges Blatt;
triangulatum;
triangulée.

fast
quadratisch;
subquadratum;
ovale-carrée.




2. gemeine
Wasserrauß;
Trapa natans.
L.



1. blasen-
früchtiger
Ampfer;
Rumex
vesicarius.
L.

f) glocken-
linig; campanale; campanale.



7. Sarsaparill-
Stechwurz;
Smilax Sarsaparilla.
L.



8. Bierliche
Zinnia elegans.
Jacq.
Zinnia;
Zinnia

g) keilig; keilförmig;
cuneiforme; en coin.



9. Sanikels
Eiche;
Quercus
Saniculi.
Michx.



10. fuge-artige
Pistie;
Pistia
Stratiotes, L.

h) spieß-
förmig;
hastatum; hastée.



13. dreitheilige
Einschuppe;
Monolepis
trifida. Schrad.

i) spatelig;
spathulatum; spatulée;
en spatule.



16. Weiße
Wucher-
blume;
Chrysanthemum
Leucanthemum.
L.



17. Frühlings-
Kuhkraut;
Himmelfahrtsblümchen;
Gnaphalium
diotema. L.

k) zungig; zungenförmig;
linguiforme; linguiforme.



18. weißblühende
Blutblume;
Haemanthus
albiflorus. Jacq.

11. ein Fiederblättchen
von
Martinezia
caryo-
taefolia. H. B. K.
(foliolum).



12. Scharf-
Fetthenn;
Sedum
spurius. Bieb.



14. Winter-
Spinat;
Spinacia
spinosa. Moench.



15. sitzenblühiger
Erdbeer-
Spinat;
(oberste
Blättchen).
Mlum
virgatum. L.
(folia
summa).