|     | **************************************              |   |  |  |                     |                      | g)                                      |
|-----|---|---|--|--|---------------------|----------------------|---|
| UEU | 1999-1999-1990-1999-558-555-24-1999- <u>1</u> -6888 | •                                       | CIE  | 2009 - 0.00 - 0. |                     |                      |   |
|     |   | *************************************** | Elektro  | <u>keramik</u>   |                     | (2                   |   |
|     |   |   | .,   |  |                     | *                    | s-1-10000000000000000000000000000000000 |
| T.  | 90 City 0.  | Elektrokera                             | mik. Werkstoff   | e,Herstellg,Pr   | rüfg, Anwenda       | n. Hrsg.<br>Hecht. B | im<br>earb                              |
| ĀĪ. | 20x7  | von Mit Berlin,                         | mik. werkstoil<br>reins d.keram.<br>200 Abb. u.d.N<br>Göttingen,Heid | ormblatt DIN 4<br>alberg: Sprine   | 10685.<br>ger 1959. | VIII,26              | 9 'S                                    |
|     |   |   | ·  | 6. 2. Calabatha (10. Calaba) (1 |                     |                      | 0                                       |
|     | 12  |   |  |  | *                   |                      |   |
|     | · .   |   |  | 14   |                     |                      |   |
|     | 1   |   |  | AG   | ٠.                  | ř.                   |   |
|     | +   | *                                       | *  |  |                     | 0.0                  |   |
| 1   | , i   | 4 -                                     | ř  | í  |                     |                      | grote ou rauer kern                     |
|     |   | ,                                       |  |  |                     |                      |   |
|     |   | **                                      |  | 116  |                     |                      |   |

