



Table with 12 columns and 4 rows of numerical data, labeled X, A, B, and I.

X	5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	80	85	90
	15	30	45	60	75	90	105	120	135	150	165	180	195	210	225	240	255	270
	5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	80	85	90
	15	30	45	60	75	90	105	120	135	150	165	180	195	210	225	240	255	270
I	5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	80	85	90
	15	30	45	60	75	90	105	120	135	150	165	180	195	210	225	240	255	270
	5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	80	85	90
	15	30	45	60	75	90	105	120	135	150	165	180	195	210	225	240	255	270
B	5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	80	85	90
	15	30	45	60	75	90	105	120	135	150	165	180	195	210	225	240	255	270
	5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	80	85	90
	15	30	45	60	75	90	105	120	135	150	165	180	195	210	225	240	255	270
A	5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	80	85	90
	15	30	45	60	75	90	105	120	135	150	165	180	195	210	225	240	255	270
	5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	80	85	90
	15	30	45	60	75	90	105	120	135	150	165	180	195	210	225	240	255	270