

URANOMETRIÆ

Malè quibusdam, Βάσανθ, Βασανίους, vel Βασανίηκεν,
Aliis Alcar, Alcair, pro Athair.

DIARTHROSIS.

3	α	In colli eductione lucida, quibusdam in scapulis seu interscapilio, ὥμενος ὥλω τῷ Λαδίῳ, Aquila, vultur volans, at air.	Lumina. In
2	β	In Collo.	
5	γ	Ad dextræ alias levæ ale originem, qua- dranguli præcedens.	
10	δ	In extremitate sinistre ale diuarum ante- cedens.	
11	ϵ	Vltima aquilæ cauda.	
9	ζ	Penultima.	
22	η	Iuxta dextram Ganymedis maxillam.	
23	θ	Ad manum dextram.	
24	ι	In pectore.	
25	κ	In femine dextro.	
26	λ	Ad sinistri pedis talum.	
7	μ	Ad levæ ale principium.	
27	ν	In sinistro Ganymedis latere, superior.	
12	ξ	In colli eductione adjacens lucida.	
4	\circ	Ad dextram quadranguli alam Austral.	
13	π	Borealior.	
14	ρ	Dextræ ale postrema.	
8	σ	Ad pedem athair dextrum.	
1	τ	In capite.	
15	υ	In colli origine parvula.	
6	ϕ	Ad dextram quadranguli alam ultima.	
16	χ	Ad inferiorem dextræ ale partem, australis.	
17	ψ	Borealis.	