

DE COMPOSITIONE

Nu- me.	Stellæ	Longi.			Latitu.		Ma- gni	
		S	G	M	P	G		M
16	In extremo	♄	1	5		3	30	4
17	In summo seq.	♄	2	55		7	30	3
18	In infimo pedis	♄	5	35	I	10	30	4
		♄	25	5		0	40	4
Informes septem		♄	27	25	S	5	50	4
		♄	6	5	M	2	15	5
		♄	19	15		1	20	5
		♄	17	15	E	3	20	5
		♄	16	55		4	30	5
		♄	21	35	R	2	40	4
C A N C E R					S			
1	In pectore media præsepe	♄	1	15		0	40	ne
2	Quadrilateri duarum præced. borea	♄	28	35		1	15	4
3	Australior	♄	28	55	M	1	10	4
4	Sequentium borealior	♄	1	15	S	2	40	4
5	Australior	♄	2	15	M	0	10	4
6	In Chele seu brachio Austrino	♄	2	25		5	30	4
7	In brachio Septentriona.	♄	29	15	S	11	50	4
8	In extremo pedis Borei	♄	23	35		1	0	3
9	In extremo austrini	♄	28	5	M	7	3	4
Informes quatuor		♄	10	35		2	20	4
		♄	12	35		5	40	4
		♄	4	55	S	4	50	5
		♄	7	55		7	15	5
L E O								
1	In naribus	♄	9	15	E	10	0	4
2	In hiatu	♄	12	15		7	30	4
3	In capite duarum borealior	♄	15	15	P	12	0	3
4	Australior	♄	15	5		9	30	3
5	In ceruice trium borealior	♄	21	5	T	11	0	3
6	Media ceruix ♄	♄	23	5		8	30	2
7	Australis	♄	21	35	E	4	30	3
8	Cor ♄ rex Basiliscus Kalb Elecet	♄	23	25		0	10	1
9	In pectore Australior.	♄	24	25	M	1	50	4
10	Antecedens cor ♄	♄	20	55		0	50	5
11	In genu dextro priori	♄	18	15	E	0	0	5
12	In Drace dextra	♄	15	5		3	40	6
13	In genu sinistro anteriori	♄	18	15	R	4	10	4

In